

DOOR SCHEDULE											
DOOR NO	TYPE	OPENING SIZE	MAT'L	U.C.	FRAME	JAMB	HEAD	SADDLE	UL LABEL SET	HDWR	REMARKS
201	A	2 (3'-0" X 7'-6 1/4")	H.M.		H.M.	*	*	*		1	*LOAD DOORS, SEE DETAILS ON DRAWING A2-10
202	A	2 (3'-0" X 10'-2")	H.M.		H.M.	*	*	*		2	*LOAD DOORS, SEE DETAILS ON DRAWING A2-10
203	A	2 (3'-0" X 10'-2")	H.M.		H.M.	*	*	*		2	*SEE DETAILS ON DRAWING A2-10
204	A	2'-0" X 5'-6"	H.M.		H.M.	*	*	*		3	*SEE DETAILS ON DRAWING A2-10
205	A	3'-0" X 7'-6 1/4"	H.M.		H.M.	*	*	*		4	*SEE DETAILS ON DRAWING A2-13
301	A	3'-0" X 6'-8"	H.M.		H.M.	J-1	H-1	*	A	5	
302	A	3'-0" X 6'-8"	H.M.		H.M.	J-1	H-1	*	A	5	
303	B	3'-0" X 6'-8"	H.M.		H.M.	J-2	H-2	*	A	5	
501	B	4'-0" X 6'-8"	H.M.		H.M.	J-1	H-1	*	A	5	
502	B	4'-0" X 6'-8"	H.M.		H.M.	J-1	H-1	*	A	5	
601	A	3'-0" X 6'-8"	H.M.		H.M.	J-1	H-1	*	A	5	* SEE DETAIL 8 ON A2.10 FOR SADDLE
602	A	3'-0" X 6'-8"	H.M.		H.M.	J-1	H-1	*	A	5	* SEE DETAIL 8 ON A2.10 FOR SADDLE
603	A	3'-0" X 6'-8"	H.M.		H.M.	J-1	H-1	*	A	5	* SEE DETAIL 8 ON A2.10 FOR SADDLE
604	A	3'-0" X 6'-8"	H.M.		H.M.	J-1	H-1	*	A	5	* SEE DETAIL 8 ON A2.10 FOR SADDLE

NOTE: DOORS 201, 202, 203, 204 & 205 - SOUND TRANSMISSION CLASS RATING = 52 STC

FINISHES

A/ PAINT











- FIELD PAINT AT ALL EXPOSED METAL SURFACES INCLUDING BEAMS, STEEL ANGLES, TRIM, STEEL STAIRS, HANDRAILS, TREADS, FLASHING, DOORS AND FRAMES.
 - BLACK FINISH ALL EXTERIOR LOCATION TO MATCH COMPOSITE ALUMINUM WALL PANELS, ALUMINUM VERTICAL GRILLS AND HORIZONTAL RAIN LOUVERS.
 - SUMMIT GRAY FINISH COAT (COLOR SW21227 BY SHERWIN WILLIAMS OR EQUAL) AT ALL INTERIOR LOCATIONS.
- PROVIDE FACTORY NATURAL FINISH FOR ALL GALVALUME PRODUCTS INCLUDING FLASHING AND TRIM.
- SEE MECHANICAL, ELECTRICAL, AND PLUMBING DRAWING AND SPECIFICATIONS FOR ALL OTHER REQUIREMENTS INCLUDING LOCATIONS, COLORS AND PATTERNS.

B/ PLASTIC LAMINATE

- COLOR NO. 871: TEXTURE CODE SEI (MATTE FINISH) BY ABET LAMINATING INC. TEL 1800-228-ABET OR EQUAL.

C/ SEAMLESS RESINOUS FLOORING

- COLOR STEEL GRAY STONCLAD GS/GS4, BY STONHARD OR EQUAL, AT ALL HEATED AREAS STONCLAD HT/HT4, BY STONHARD OR EQUAL, AT ALL UNHEATED AREAS.



RESINOUS FLOORING DETAILS

THE PORT AUTHORITY OF NY & NJ



ORIGINAL SIGNED & SEALED BY N.Y. P.E. (OR E.A.)

Joseph R. Loring & Associates, Inc. consulting engineers

One Pennsylvania Plaza New York, New York 10119-0045 Tel: (212) 563-7400, Fax: (212) 563-7382

THE OFFICE OF DAVID ELLIOT LEBOWITZ P.E.

ARCHITECTS - PLANNERS IN ARCHITECTURAL FIRM WITH OFFICE IN NEW YORK, NEW YORK 10119-0045 Tel: (212) 563-7400, Fax: (212) 563-7382

LESLIE E ROBERTSON ASSOCIATES, P.L.L.C. CONSULTING STRUCTURAL ENGINEERS

IN ASSOCIATION WITH THE PORT AUTHORITY OF NEW YORK AND NEW JERSEY Tel: (212) 563-7400, Fax: (212) 563-7382

I HEREBY CERTIFY THAT THIS IS A TRUE AND CORRECT COPY OF ONE OF THE CONTRACT DRAWINGS, CONSTITUTING A PART OF CONTRACT NO. WTC-945-071, IN THE FORM IN WHICH SAID DRAWINGS SUBMITTED AT THE TIME THE SAID CONTRACT WAS EXECUTED BY THE PARTIES.
DATE: 4/10/98
SIGNED: J.R. Loring
TITLE: ENGINEER OF DESIGN

12/12/87 ADDED DOOR & FINISH SCHEDULES & DET
1/17/89 ISSUED FOR BID

No. Date Revision Approved
Engineering Department
Design Divisions

The World Trade Center

STANDBY POWER
5 WORLD TRADE CENTER

ARCHITECTURAL
DOOR & FINISH
SCHEDULES AND
TYPICAL DETAILS

This drawing subject to conditions in contract. All inventions, ideas, designs and methods herein are reserved to Port Authority and may not be used without its written consent.

C.B. D.J.F.
Designed by Drawn by J.R. Loring

Date: 11/17/87 Scale: AS SHOWN

Contract Number: WTC-945-071 Drawing Number: A1-01

